

implementation of Krylov subspace method with sparse matrix

Atsushi Suzuki¹

¹R-CCS, Large-scale Parallel Numerical Computing Technology Research Team
`atsushi.suzuki.aj@a.riken.jp`

sparse matrix format : 1/3

n : # of rows

nnz : # of nonzeros

$[A]_{ij}$: nonzero entries at (i, j)

- ▶ COO (Coordinate) format MUMPS

```
structure COOformat {  
  int n, nnz;  
  int irow[nnz];  
  int jcol[nnz];  
  double coef[nnz];  
};
```

- ▶ CSR (Compressed Sparse Row) /
CRS (Compressed Row Storage) format Pardiso

```
structure CSRformat {  
  int n, nnz;  
  int ptnrow[n+1];  
  int indcol[nnz];  
  double coef[nnz];  
}
```

$[A]_{ij} = \text{coef}[k]$
 $j = \text{indcol}[k], \text{ptnrow}[i] \leq k < \text{ptnrow}[i + 1]$

sparse matrix format, zero-based index : 2/3

an example, 5×5 unsymmetric matrix, $n = 5$, $nnz = 15$.

	0	1	2	3	4
1.1 1.2 1.4	0	0	1	2	
2.1 2.2 2.3 2.5	1	3	4	5	6
3.2 3.3	2	7	8		
4.1 0.0 4.5	3	9		10	11
5.2 5.4 5.5	4	12		13	14

i	0	1	2	3	4	5
<code>ptrow[i]</code>	0	3	7	9	12	15
<code>indcol[k]</code>	0	1 3	0 1 2 4	1 2 0 3	4 1 3	4
<code>coef[k]</code>	1.1 1.2 1.4	2.1 2.2 2.3 2.5	3.2 3.3	4.1 0.0	4.5 5.2 5.4	5.5

- ▶ diagonal entry should exist even if the value is 0
- ▶ `indcol[]` should be in ascending order in each row

sparse matrix format, zero-based index : 3/3

5 × 5 symmetric matrix, upper triangular, $n = 5$, $nnz = 10$.

1.1	1.2		1.4	
	2.2	2.3		2.5
		3.3		
			0.0	4.5
				5.5

	0	1	2	3	4
0	0	1		2	
1		3	4		5
2			6		
3				7	8
4					9

i	0		1		2	3		4	5	
ptrow[i]	0		3		6	7		9	10	
indcol[k]	0	1	3	1	2	4	2	3	4	4
coef[k]	1.1	1.2	1.4	2.2	2.3	2.5	3.3	0.0	4.5	5.5

- ▶ diagonal entry should exist even if the value is 0
- ▶ `indcol[]` should be in ascending order in each row
- ▶ upper triangular matrix is accepted by `Pardiso`

SpMV : sparse matrix vector multiplication : 1/3

A : CSRformat { ptrow, indcol, coef }, $\vec{x}, \vec{y} \in \mathbb{R}^N$
to calculate $\vec{y} = A\vec{x}$

$$\begin{aligned}[A\vec{x}]_i &= \sum_j [A]_{ij} [\vec{x}]_j \\ &= \sum_{j \in \{j; [A]_{ij} \neq 0\}} [A]_{ij} [\vec{x}]_j \\ &= \sum_{\text{ptrow}[i] \leq k < \text{ptrow}[i+1]} \text{coef}[k] \times [\vec{x}]_{\text{indcol}[k]}\end{aligned}$$

```
for (i = 0; i < n; i++) {  
    y[i] = 0.0;  
    for (k = ptrow[i]; k < ptrow[i + 1]; k++) {  
        int j = indcol[k];  
        y[i] += coef[k] * x[j];  
    }  
}
```

SpMV : sparse matrix vector multiplication : 2/3

A : CSRformat { ptrow, indcol, coef }, upper part is stored, $\vec{x}, \vec{y} \in \mathbb{R}^N$
to calculate $\vec{y} = A\vec{x}$
assumption

- ▶ coefficient of diagonal value of A is stored
- ▶ the first entry of the i -th row `indcol[ptrow[i]] == i`

```
for (i = 0; i < n; i++) {
    y[i] = 0.0;
}
for (i = 0; i < n; i++) {
    for (k = ptrow[i] + 1; k < ptrow[i + 1]; k++) {
        int j = indcol[k];
        y[i] += coef[k] * x[j];
        y[j] += coef[k] * x[i];
    }
    int k = ptrow[i];
    //     int j = indcol[k] ( == i )
    y[i] += coef[k] * x[i];
}
```

SpMV : sparse matrix vector multiplication : 3/3

for calculation of $y = \alpha A\vec{x} + \beta\vec{y}$ with general sparse matrix A stored in CSRformat

```
void SparseGEMV(struct CSRformat &A,
               const double &alpha, std::vector<double> &x,
               const double &beta, std::vector<double> &y)
{
    int nrow = A.n;
    for (int i = 0; i < nrow; i++) {
        y[i] *= beta;
    }
    double tmp;
    for (int i = 0; i < nrow; i++) {
        tmp = 0.0;
        for (k = ptrow[i]; k < ptrow[i + 1]; k++) {
            int j = indcol[k];
            tmp += coef[k] * x[j];
        }
        y[i] += alpha * tmp;
    }
}
```

inner product

two vectors : $\vec{x}, \vec{y} \in \mathbb{R}^N$

$$(\vec{x}, \vec{y}) = \sum_{1 \leq i \leq N} [\vec{x}]_i [\vec{y}]_i$$

```
double tmp = 0.0;
for (i = 0; i < n; i++) {
    tmp += x[i] * y[i];
}
```

BLAS level 1 subroutine ddot

```
double cblas_ddot(const int n,
                  const double *x, const int incx,
                  const double *y, const int incy);

tmp = cblas_ddot(n, &x[0], 1, &y[0], 1);
```

C++ STL `std::vector< >` class

```
#include <vector>
std::vector<double> x(100); // allocation with size = 100
x.resize(200); // enlarging array with keeping 100 entries
x.clean(); // deallocation
&x[0]; // double pointer to the first entry
```


conversion of Sparse matrix format COO to CSR

- ▶ dynamic allocation of entries in each row is necessary

```
std::vector<std::list<int> > pcol(nrow);
std::vector<std::list<double> > pcoef(nrow);
for (int k = 0; k < nnz; k++) {
    int i = Acoo.irow[k], j = Acoo.jcol[k];
    double coef = Acoo.coef[k];

    if (pcol[i].empty()) {
        pcol[i].push_back(j); pcoef[i].push_back(coef); }
    else {
        if (pcol[i].back() < j) {
            pcol[i].push_back(j); pcoef[i].push_back(coef); }
        else {
            typename std::list<double> iv = pcoef[i].begin();
            typename std::list<int> it = pcol[i].begin();
            for (; it != pcol[i].end(); ++it, ++iv) {
                if ((*it) > j) {
                    pcol[i].insert(it, j); pcoef[i].insert(iv, coef); } } }
    }
Acsr.ptrow[0] = 0;
int k = 0;
for (int i = 0; i < n; i++) {
    ptrow[i + 1] = ptrow[i] + pcol[i].size();
    typename std::list<double> iv = pcoef[i].begin();
    typename std::list<int> it = pcol[i].begin();
    for (; it != pcol[i].end(); ++it, ++iv, k++) {
        Acsr.pcol[k] = (*it); Acsr.coef[k] = (*iv); } }
```

conversion of Sparse matrix format CSR to COO

```
int nrow = Acsr.n;
for (int i = 0; i < n; i++) {
    for (int k = Acsr.ptrow[i]; k < Acsr.ptrow[i + 1]; k++) {
        Acoo.irow[k] = i;
        Acoo.jcol[k] = Acsr.indcol[k];
        Acoo.coef[k] = Acsr.coef[k];
    }
}
```

exercise : implement GMRES/CG using IML++

GMRES is written by C++ template in IML++,

<https://math.nist.gov/impl++/gmres.h.txt>

first version without preconditioner const Preconditioner &M
replacing Operator, Vector, and Matrix classes by simpler ones

- ▶ Real by double
- ▶ Vector by `std::vector<double>`
- ▶ Operator by structure CSRformat
- ▶ Matrix by `std::vector<double>` as one-dimensionalized array

```
std::vector<std::vector<double> > HH(max_iter + 1);  
for (int i = 0; i < (max_iter + 1); i++)  
    HH[i].resize(max_iter + 1);  
#define H(i, j) HH[(i)][(j)]
```

matrix vector product to compute the residual as

```
r = b - A * x;
```

will be replaced by

```
std::vector<double> r(b);  
SparseGEMV(A, (-1.0), x, 1.0, r);
```

CG in IML++, <https://math.nist.gov/impl++/cg.h.txt>

- ▶ CSRformat for symmetric matrix with storing upper part
- ▶ `cblas_daxpy` for $\vec{x} += \alpha \times \vec{p}$

```
double cblas_daxpy(const int n, const double alpha,  
                  const double *x, const int incx,  
                  double *y, const int incy);
```